



CONSUMER PRODUCTS SERVICES DIVISION

ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: (9126)202-0083

Date Received: JUL. 21, 2026

AUG. 03, 2026

Page 1 of 18

HAO SHENGJIAO
ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD
FL 23TH,GENERAL CHAMBER OF COMMERCE BUILDING NO.1828 HUAI NING
ROAD,HEFEI,ANHUI,CHINA

Sample Description: POLYESTER KIDS CHAIR

Vendor: N/A

Manufacturer: N/A

Buyer: N/A

Labeled Age Grade: NONE

Appropriate Age Grade: N/A

Client Specified Age Grade: OVER 3 YEARS OF AGE

Tested Age Grade: OVER 3 YEARS OF AGE

UPC Code: N/A

Sample Quantity: 5

Item/Style No(s): N/A

SKN/SKU No.: N/A

PO No.: PO#14130

Ref #: N/A

Country of Origin: CHINA

Assortment No.: N/A

Country of: USA

Destination:

EXECUTIVE SUMMARY:

The sample(s) MEETS the following requirement(s):

- The mechanical hazards requirements of ASTM F963-23, "Standard consumer safety specification for toy safety".
- The labeling requirements of ASTM F963-23, "Standard consumer safety specification for toy safety".
- The tracking label requirement of the Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 Tracking Labels for Children's Products.
- The flammability requirement of solids under ASTM F963-23 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys".
- The total lead content of 90ppm requirements of 16 CFR 1303, "Ban of lead-containing paint and certain consumer products bearing lead-containing paint" as mandated by Congress in section 101(f) of the Consumer Products Safety Improvement Act (CPSIA) of 2008, Public Law 110-314.
- The total lead content of 100ppm requirements in substrate materials (Consumer Products Safety Improvement Act (CPSIA) of 2008).
- The initial total heavy metals content analysis for soluble heavy metals content in surface coating requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.1(2).
- The initial total heavy metals content analysis for soluble heavy metals content in substrate requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).
- The soluble heavy metals content in substrate requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).
- Phthalates Content in Children's Toys and Child Care Articles - United States Code of Federal Regulations (CFR), Title 16, Part 1307 / ASTM F963-23 Sec.4.3.8.



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 2 of 18

RESULTS:

NOTE:

1. The sample(s) was not evaluated to the Normal Use testing requirements specified in ASTM F963-23, Section 8.5. It is the responsibility of the manufacturer, vendor or distributor to conduct tests that will simulate normal use conditions. These tests shall ensure that hazards are not generated through normal wear and deterioration of the sample(s). These tests shall also simulate the normal play mode of the toy and to simulate the expected mode of use of the particular toy. The tests shall be conducted in an expected use environment. These normal use tests shall simulate the intended use of the toy based on its estimated lifetime.
2. The sample is tested for “OVER 3 YEARS OF AGE” as client’ s request.

BVCPS (Shanghai) Nanjing branch contact information for this report

Technical Questions:

Nut Wang 025-52076077, E-mail: nut.wang@bureauveritas.com

Concerns About Billing and General Inquires:

Rita Zhang 025-52076026, E-mail: rita-jm.zhang@bureauveritas.com

**BUREAU VERITAS
CONSUMER PRODUCTS SERVICES (SHANGHAI)
NANJING BRANCH**

Rita Zhang

RITA ZHANG
PROGRAM MANAGER (HLTY DIVISION)



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 3 of 18

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-23, "Standard Consumer Safety Specification on Toy Safety". Annex A1

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request BVCPS to determine an appropriate age grade, the labeled age grade will be used for testing.

USE AND ABUSE TESTS

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable

Test	Test Parameters	Standard Reference
Tip Over	3 times	1500.53(b)(4)(i)
Torque	4 in-lbs	1500.53(e)
Tension	15 lbs	1500.53(f)



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 4 of 18

RESULTS:

PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-23)

Section	Requirement	Result
4.1	Material Quality	M
4.3.7	Stuffing Materials	M
4.5	Sound-producing Toys	N/A
4.6	Small Objects	N/A
4.7	Accessible Edges	M
4.8	Projections	N/A
4.9	Accessible Points	M
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-load Requirements	M
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearances and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-operated Toys (exclude Section 4.25.9 & Section 4.25.10)	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-type Toys	M
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A

*M = Meet NM = Not Meet N/A = Not Applicable NR = Not Request R = Refer to
Comment Section*



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 5 of 18

RESULTS:

LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-23)

Section	Requirement	Result
5.1.2	Tracking label	M
5.4 & 5.3	Aquatic Toys	N/A
5.5 & 5.3	Crib and Playpen Toys	N/A
5.6 & 5.3	Mobiles	N/A
5.7 & 5.3	Stroller and Carriage Toys	N/A
5.8 & 5.3	Toys Intended to be Assembled by an Adult	N/A
5.9 & 5.3	Simulated Protective Devices	N/A
5.10 & 5.3	Toys with Functional Sharp Edges or Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	N/A
5.12	Art Materials (16 CFR 1500.14(b)(8))	N/A
5.14	Battery-Operated Toys (exclude 5.15.1 and 5.15.2)	N/A
5.14.1 & 5.3	Battery-Powered Ride-On Toys	N/A
5.14.2 & 5.3	Button or Coin Cell Batteries	N/A
5.15	Promotional Materials	M
5.16 & 5.3	Magnets	N/A
6.1	Definition and Description	M
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4 & 5.3	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	N/A
6.6	Battery-Powered Ride-On Toys	N/A
6.7	Toys in Contact with Food	N/A
6.9	Toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	N/A
7.1	Producer's Name and Address	M
7.2	Battery-powered Ride-on Toys	N/A

M = Meet NM = Not Meet N/A = Not Applicable NR = Not Request R = Refer to Comment Section



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 6 of 18

RESULTS:

FLAMMABILITY (ASTM F963-23 section 4.2 according to Annex A5)

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	ASTM F963-23 section 4.2 according to Annex A5	Ignite but Self-Extinguished.



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 7 of 18

RESULTS:

Tested component(s) breakdown list

Sample Identity	Color / Component	Location	Style
001.	PINK FLEECE	/	A
002.	YELLOW FLEECE	/	A
003.	NAVY/GREY WOVEN LABEL	/	ALL
004.	BLACK/WHITE/GREEN MULTI-COLOR STARCH LABEL	/	ALL
005.	STARCH LABEL (WITHOUT COATING)	/	ALL
006.	GREY FLEECE	/	B
007.	DARK GREY PLUSH FABRIC	/	B
008.	DARK GREY EMBROIDERY THREAD	/	B
009.	WHITE EMBROIDERY THREAD	/	B,C,D,E
010.	LIGHT GREY FLEECE	/	C
011.	BLACK EMBROIDERY THREAD	/	C,D
012.	BLACK/WHITE PLUSH FABRIC	/	C
013.	BLACK FLEECE	/	C
014.	BROWN FLEECE	/	D
015.	BROWN PLUSH FABRIC	/	D
016.	LIGHT PINK PLUSH FABRIC	/	E
017.	WHITE PLUSH FABRIC	/	E
018.	COLOR FOIL COATING WITH FABRIC	/	E
019.	WHITE BASE FABRIC	/	E
020.	LIGHT GRAY EMBROIDERY THREAD	/	E
021.	LIGHT PINK EMBROIDERY THREAD	/	E
022.	LIGHT PINK PLUSH FABRIC	/	E



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 8 of 18

RESULTS:

TOTAL LEAD CONTENT IN SURFACE COATING ("Ban of Lead-containing paint and certain consumer products bearing Lead-containing paint", Consumer Product Safety Improvement Act (CPSIA) of 2008)

Test Method: U.S. CPSC-CH-E1003.09.1

Analyte	Lead	
Requirement: Maximum allowable limit:	90 mg/kg	

Analyte			Lead (Pb)	Conclusion
Sample Description			Result	
Color / Component	Location	Style	(mg/kg)	
004	/	/	LT 10	Pass

LT = Less Than

** = Average of duplicate analyses*

mg/kg =milligrams per kilogram (ppm=parts per million)

Remark:

In some cases, the tested component cannot be tested individually due to overlapped coatings.



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 9 of 18

RESULTS:

TOTAL LEAD CONTENT IN SUBSTRATE (100PPM) (Consumer Product Safety Improvement Act (CPSIA) of 2008)

Test Method: U.S. CPSC-CH-E1001-08.3:2012 or U.S. CPSC-CH-E1002-08.3:2012

Analyte	Lead	
Requirement: Maximum allowable limit:	100 mg/kg	

Analyte			Lead (Pb)	Conclusion
Sample Description			Result	
Color / Component	Location	Style	(mg/kg)	
018	/	/	LT 10	Pass

LT = Less Than

* = Average of duplicate analyses

mg/kg =milligrams per kilogram (ppm=parts per million)



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 10 of 18

RESULTS:

TOTAL HEAVY METALS CONTENT - INITIAL ANALYSIS FOR SOLUBLE HEAVY METALS CONTENT IN SURFACE COATING (ASTM F963-23, Section 4.3.5.1(2))

Test Method: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	
Max. Limit (mg/kg)	25	1000	75	60	60	90	60	500	

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Conclusion
Sample	Result (mg/kg)								
004	LT 5	LT 10	LT 10	LT 10	LT 10	LT 10	LT 10	LT 10	Pass

mg/kg = milligrams per kilogram (ppm=parts per million)
LT = Less Than

As = Arsenic, Ba = Barium, Cd = Cadmium,
Cr = Chromium, Hg = Mercury, Pb = Lead,
Sb = Antimony, Se = Selenium

Remark:

On an initial analysis for soluble heavy metals content, any component of greater than 80% of the set limit, the result is inconclusive for the requirement and therefore were retested with soluble heavy metals analysis of ASTM F963-23, Sections 8.3.2 to 8.3.4 as specified in Section 8.3.1.3. The result herein is for reference only (show Data), please refer to soluble heavy metals content analysis for the corresponding conclusive results.



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 11 of 18

RESULTS:

TOTAL HEAVY METALS CONTENT – INITIAL ANALYSIS FOR SOLUBLE HEAVY METALS CONTENT IN SUBSTRATE (ASTM F963-23, Section 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Type I: Substrate other than modeling clay

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	
Max. Limit Type I (mg/kg)	25	1000	75	60	60	90	60	500	
Max. Limit Type II (mg/kg)	25	250	50	25	25	90	60	500	

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Conclusion
Sample	Result (mg/kg)								
018	LT 5	LT 10	LT 10	LT 10	LT 10	LT 10	LT 10	LT 10	Pass

mg/kg = milligrams per kilogram (ppm=parts per million)
LT = Less Than

As = Arsenic, Ba = Barium, Cd = Cadmium,
Cr = Chromium, Hg = Mercury, Pb = Lead,
Sb = Antimony, Se = Selenium

[illegible]



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 13 of 18

RESULTS:

022	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
-----	--------	------	------	------	------	------	------	------	---	------

mg/kg = milligrams per kilogram (ppm=parts per million)

CR = adjusted analytical result

LT = Less Than

As = Arsenic, Ba = Barium, Cd = Cadmium,

Cr = Chromium, Hg = Mercury, Pb = Lead,

Sb = Antimony, Se = Selenium

Remark:

Textiles (natural or synthetic) are exempted for lead content requirement according to clarification of Toy Industry Association for ASTM F963-23. The lead content analysis result of corresponding material herein is for client's reference only.



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 14 of 18

RESULTS:

Phthalates Content in Children's Toys and Child Care Articles - United States Code of Federal Regulations (CFR), Title 16, Part 1307 / ASTM F963-23 Sec.4.3.8.

Test Method : With reference to U. S. CPSC Test Method CPSC-CH-C1001-09.4 (January 23, 2018).

Maximum Allowable Limit :	1 000 mg/kg (Each of the listed phthalates)			
Test Item(s)	Result			Conclusion
	Detected Analyte(s)	Conc.	Unit	
004	ND	ND	%	PASS
018	ND	ND	%	PASS

Note / Key :

ND = Not detected

">" = Greater than

Conc. = Concentration

% = percent

1 % = 10 000 mg/kg

U. S. CPSC = United States Consumer Product Safety Commission

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

Detection Limit (mg/kg) - Each of the listed phthalates : 50

Remark :

- The list of phthalates is summarized in table of Appendix.

APPENDIX

LIST OF PHTHALATES [U. S. 16 CFR 1307] :					
NO.	NAME OF ANALYTE(S)	CAS-NO.	NO.	NAME OF ANALYTE(S)	CAS-NO.
1	Butyl benzyl phthalate (BBP)	85-68-7	5	Di-iso-butyl phthalate (DIBP)	84-69-5
2	Dibutyl phthalate (DBP)	84-74-2	6	Di-n-pentyl phthalate (DnPP or DPENP)	131-18-0
3	Di-2-ethylhexyl phthalate (DEHP)	117-81-7	7	Di-n-hexyl phthalate (DnHP or DHEXP)	84-75-3
4	Di-iso-nonyl phthalate (DINP)	28553-12-0	8	Di-cyclohexyl phthalate (DCHP)	84-61-7
CAS-No. = Chemical Abstracts Service registry number					



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**


AUG. 03, 2026

Page 15 of 18

RESULTS:

EXHIBIT

 SI SWEET HOME COLLECTION Toddler Lounge Chair WOOD	 SI SWEET HOME COLLECTION Toddler Lounge Chair WOOD	 SI SWEET HOME COLLECTION Toddler Lounge Chair WOOD	
Manufacturer: REACH HORIZON INC Address:17588 ROWLAND STREET,SUITE A140,CITY OF INDUSTRY CA91748 Made in Hefei,Anhui, China Date of Production: 2026-05 Batch No.: 202605A-01 Product Name:Polyester kids chair			
 SI SWEET HOME COLLECTION Toddler Lounge Chair FLOWER	 SI SWEET HOME COLLECTION Toddler Lounge Chair FLOWER	 SI SWEET HOME COLLECTION Toddler Lounge Chair FLOWER	
Manufacturer: REACH HORIZON INC Address:17588 ROWLAND STREET,SUITE A140,CITY OF INDUSTRY CA91748 Made in Hefei,Anhui, China Date of Production: 2026-05 Batch No.: 202605A-01 Product Name:Polyester kids chair			
 SI SWEET HOME COLLECTION Toddler Lounge Chair UNICORN	 SI SWEET HOME COLLECTION Toddler Lounge Chair UNICORN	 SI SWEET HOME COLLECTION Toddler Lounge Chair UNICORN	
Manufacturer: REACH HORIZON INC Address:17588 ROWLAND STREET,SUITE A140,CITY OF INDUSTRY CA91748 Made in Hefei,Anhui, China Date of Production: 2026-05 Batch No.: 202605A-01 Product Name:Polyester kids chair			



ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 16 of 18

RESULTS:

			
 Sweet Home TODDLER Lounge Chair COW	 Sweet Home TODDLER Lounge Chair COW	 Sweet Home TODDLER Lounge Chair COW	 QR Code
Manufacturer: REACH HORIZON INC Address:17588 ROWLAND STREET,SUITE A140,CITY OF INDUSTRY CA91748 Made in Hefei,Anhui, China Date of Production: 2026-05 Batch No.: 202605A-01 Product Name:Polyester kids chair			
			
 Sweet Home TODDLER Lounge Chair ELEPHANT	 Sweet Home TODDLER Lounge Chair ELEPHANT	 Sweet Home TODDLER Lounge Chair ELEPHANT	 QR Code
Manufacturer: REACH HORIZON INC Address:17588 ROWLAND STREET,SUITE A140,CITY OF INDUSTRY CA91748 Made in Hefei,Anhui, China Date of Production: 2026-05 Batch No.: 202605A-01 Product Name:Polyester kids chair			

	
Manufacturer: REACH HORIZON INC Address:17588 ROWLAND STREET,SUITE A140,CITY OF INDUSTRY CA91748 Made in Hefei,Anhui, China Date of Production: 2026-05 Batch No.: 202605A-01 Product Name:Polyester kids chair	
UNDER PENALTY OF LAW THIS TAG NOT TO BE REMOVED EXCEPT BY THE CONSUMER	
ALL NEW MATERIAL CONSISTING OF POLYESTER FIBER	
REGISTRY NO. PA-41261 (CN)	
Certification is made by the manufacturer that materials in this article are described in accordance with law.	
Fin Size: 21in x 19in x 19in(54x49x49cm)	
FEDERAL REQUIREMENT FILLING:ALL POLYESTER COVER:100%POLYESTER	
RN# 140106 MADE IN CHINA HECHO EN CHINA FABRIQUÉ EN CHINE	



**BUREAU
VERITAS**

ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 17 of 18

RESULTS:



Report Number
(9126)202-0083



Report Number
(9126)202-0083



**BUREAU
VERITAS**

ANHUI VITOTEX HOME FASHION INDUSTRIAL CO.,LTD

Technical Report: **(9126)202-0083**

AUG. 03, 2026

Page 18 of 18

RESULTS:



-----End The Report-----